



Provider Profile Summary Table

(Revised 04-15-12)



Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
Immunization Combo 2: Percentage of 2 year olds with immunizations 4 DTaP/DT, 3 IPV, 1 MMR, 3 HIB, 2 HepB, 1 VZV (NOTE: Includes only 2 HepB because 1 st vaccine is often given in hospital and billed to Mother's RIN)	75.1%	See Immunization Codes Table	http://www.cdc.gov/vaccines/recs/schedules/child-schedule.htm http://www.cdc.gov/vaccines/ http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Immunization Combo 3: Percentage of 2 year olds with immunizations 4 DTaP/DT, 3 IPV, 1 MMR, 3 HIB, 2 HepB, 1 VZV, 4 pneumococcal conjugate vaccinations (NOTE: Includes only 2 HepB because 1 st vaccine is often given in hospital and billed to Mother's RIN;)	71.0%	See Immunization Codes Table	http://www.cdc.gov/vaccines/recs/schedules/child-schedule.htm http://www.cdc.gov/vaccines/ http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Lead Toxicity: Percentage of children who received at least one capillary or venous blood test on or before their second birthday.	72.2%	36415 U1 (venous draw), 83655 lead analysis, 36416 U1 (capillary draw), 83655 QW CLIA waived office analysis	http://www.idph.state.il.us/public/hb/hblead.htm HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200

Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
Lead Toxicity: Percentage of children who received at least two capillary or venous blood tests on or before their second birthday, one of which occurs on or before the first birthday and one of which occurs after the first and on or before the second birthday.	Not available	36415 U1 (venous draw), 83655 lead analysis, 36416 U1 (capillary draw), 83655 QW CLIA waived office analysis	http://www.idph.state.il.us/public/hb/hblead.htm HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Developmental Screening: Percentage of children with one developmental screenings by the age of 12 months.	Non-HEDIS Indicator HFS benchmark 80%	96110, 96111	http://www.medicalhomeinfo.org/screening/DevProvider.html http://pediatrics.aappublications.org/cgi/content/full/118/1/405 http://www.edopc.net http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Developmental Screening: Percentage of children with one developmental screening between the ages of 12 and 24 months.	Non-HEDIS indicator HFS benchmark 70%	96110, 96111	See above
Developmental Screening: Percentage of children with one developmental screening between the ages of 24 and 36 months.	Non-HEDIS indicator HFS benchmark 65%	96110, 96111	See above
Asthma Management: Percentage of members 5 – 11 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	92.2%	Controller medications: inhaled corticosteroids, nedocromil, cromolyn sodium, leukotriene modifiers or methylxanthines	http://www.nlm.nih.gov/guidelines/asthma/ For a comprehensive list of NDC codes for appropriate Asthma medication, see NQCA 2008 list http://www.ncqa.org/tabid/892/Default.aspx

Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
Asthma Management: Percentage of members 12 – 50 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	86.3%	Controller medications: inhaled corticosteroids, nedocromil, cromolyn sodium, leukotriene modifiers or methylxanthines	http://www.nhlbi.nih.gov/guidelines/asthma/ For a comprehensive list of NDC codes for appropriate Asthma medication, see NQCA 2008 list http://www.ncqa.org/tabid/892/Default.aspx
Diabetes Management: Percentage of diabetic patients age 18 – 75 years, who have had one HbA1c in the last 12 months	81.1%	83036, 83037	http://care.diabetesjournals.org/content/35/Supplement_1/S11_full
Well Child Care: Percentage of children with 0 well baby visits in the first 15 months of life (An “H” indicator on this measure indicates a <i>low</i> number of children with zero well-child visits and therefore high performance. An “L” indicator indicates a <i>high</i> number of children with zero well-child visits and therefore low performance.)	1.6%	99381, 99382, 99391, 99392, 99461 OR ICD-9-CM: V20.2,V20.3, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, 0439	http://aappolicy.aappublications.org/cgi/content/full/pediatrics;120/6/1376 *Website is accessible but does not give full pdf article. http://practice.aap.org/content.aspx?aid=1599 HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Well Child Care: Percentage of children with 6 well baby visits in the first 15 months of life	61.3%	99381, 99382, 99391, 99392, 99461 OR ICD-9-CM: V20.2,V20.3, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, 0439	http://aappolicy.aappublications.org/cgi/content/full/pediatrics;120/6/1376 *Website is accessible but does not give full pdf article. http://practice.aap.org/content.aspx?aid=1599 HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200

Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
Well Child Care: Percentage of members who were three, four, five or six years of age who received one or more well-child visits with a primary care practitioner during the measurement year.	72.3%	99382, 99383, 99392, 99393 OR ICD-9-CM: V20.2 or V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, G0439	http://aappolicy.aappublications.org/cgi/content/full/pediatrics;120/6/1376 *Website is accessible but does not give full pdf article. http://practice.aap.org/content.aspx?aid=1599 http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Vision Screening: Percentage of 3 year olds with 1 vision screening during the measurement year	Non-HEDIS indicator	99172, 99173, 92002, 92004, 92012, 92014, 92015	http://aappolicy.aappublications.org/cgi/content/full/pediatrics%3b111/4/902 http://www.ilga.gov/legislation/publicacts/fulltext.asp?Name=095-0671&print=true&write=pa HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Vision Screening: Percentage of 4 year olds with 1 vision screening during the measurement year	Non-HEDIS indicator	99172, 99173, 92002, 92004, 92012, 92014, 92015	See above
Cervical Cancer Screening: Percentage of women 21 – 64 years of age who received one or more Pap tests to screen for cervical cancer during the measurement year or the two years prior to the measurement year. NOTE: This measure has been changed to a 3 year interval to reflect more recent guidelines. The 2011 state-rate column on the Spring 2012 Profile reflects a one-year interval.	69.7%	88141, 88142, 88143, 88147, 88148, 88150, 88152-88155, 88164-88167, 88174-88175 or ICD-9-CM codes: V72.32, V76.2 and 91.46 HCPCS- G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148 P3000, P3001, Q0091 UB92: 0923	http://www.uspreventiveservicestaskforce.org/3rduspstf/cervcan/cervcanrr.htm
Adolescent Well Care: Percentage of enrolled members who were 12 – 21 years of age and who had	46.1%	99383-99385, 99393-99395 OR	http://aappolicy.aappublications.org/cgi/content/full/pediatrics;120/6/1376 *Website is accessible but does not give full pdf article.

Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
<p>at least one comprehensive well-care visit during the measurement year. NOTE: This measure has been changed to a yearly interval to be consistent with 2012 HEDIS measures. The 2011 state-rate column on the Spring 2012 Profile reflects a two-year interval.</p>		<p>ICD-9-CM: V20.2 or V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, G0439</p>	<p>HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200</p>
<p>Breast Cancer Screening: The percentage of women 42 – 69 years of age who had a mammogram to screen for cancer in the measurement year or the year prior to the measurement year</p>	52.4%	<p>77055, 77056, 77057 OR ICD-9-CM: 87.36, 87.37, OR HCPCS: G0202, G0204, G0206 OR UB-92: 0401, 0403</p>	<p>http://www.ahrq.gov/clinic/uspstf/uspbrca.htm</p>
<p>Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Ages 20 to 44 years.</p>	83.2%	<p>99201-99205, 99211-99215, 99241-99245, 99304-99306, 99307-99310, 99315,99316, 99218, 99324-99328, 99334-99337, 92002, 92004, 92012, 92014, 99341-99345, 99347-99350, 99385-99387, 99395-99397, 99401-99404, 99411-99412, 99420, 99429 OR HCPCS- G0402, G0438, G0439 OR ICD-9-CM: V70.0, V70.3, V70.5, V70.6, V70.8, V70.9</p>	<p>http://www.icsi.org/guidelines_and_more/gloss_prot_preventive_health_maintenance/preventive_services_for_adults/preventive_services_for_adults_11.html http://www.uspreventiveservicestaskforce.org/adultrec.htm</p>
<p>Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Ages 45 to 64 years.</p>	87.4%	See above	See above

Quality Indicator	2011 NCQA 50 th Percentile	CPT Codes	References
Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Over age 65 years.	87.4%	See above	See above
Ambulatory Care ED Use: Utilization of services provided in the ED department. Shown as ED visits that do not result in an inpatient stay per 1000 member months. Ages 0 to 20 years. NOTE: An "H" indicator on this measure indicates a <i>low</i> number of ED visits and therefore high performance. An "L" indicator indicates a <i>high</i> number of ED visits and therefore low performance.	Ages <1 year: 92.9 Ages 1-9 years: 49.1 Ages 10-19 years: 41.2 Ages 20-44 years: 103.2 Ages 45-64 years: 82.9	99282-99285 OR 10040-69979 WITH POS 23	http://www.annemergmed.com/article/S0196-0644(12)00125-4/abstract
Ambulatory Care ED Use: Utilization of services provided in the ED department. Shown as ED visits that do not result in an inpatient stay per 1000 member months. Ages 21 years and older. NOTE: An "H" indicator on this measure indicates a <i>low</i> number of ED visits and therefore high performance. An "L" indicator indicates a <i>high</i> number of ED visits and therefore low performance.	Ages <1 year: 92.9 Ages 1-9 years: 49.1 Ages 10-19 years: 41.2 Ages 20-44 years: 103.2 Ages 45-64 years: 82.9	99282-99285 OR 10040-69979 WITH POS 23	See above

Table CIS-A: Codes to Identify Childhood Immunizations (HEDIS 2012)

Codes	Code Number	Code Description	Covered By HFS
CPT	90645-90648	Hemophilus influenza b vaccine (Hib), for intramuscular use (Hib also included in 90698, 90721, and 90748)	
CPT	90669	Pneumococcal conjugate vaccine, 7 valent, for intramuscular use	
CPT	90670	Prevnar 13 – pneumococcal conjugate	
CPT	90698	Diphtheria, tetanus toxoids, acellular pertusis vaccine, haemophilus influenza Type B, and poliovirus vaccine, inactivated (DTaP-Hib-IPV), for intramuscular use	
CPT	90700	Diphtheria, tetanus toxoids, acellular pertusis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use	
CPT	90704	Mumps virus vaccine, live, for subcutaneous use (also included in 90707 and 90710)	
CPT	90705	Measles virus vaccine, live, for subcutaneous use (also included in 90707, 90708 and 90710)	
CPT	90706	Rubella virus vaccine, live, for subcutaneous use (also included in 90707, 90708, and 90710)	
CPT	90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use (also included in 90710)	
CPT	90708	Measles and rubella virus vaccine, live, for subcutaneous use	
CPT	90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use	
CPT	90713	Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use (also included in 90698 and 90723)	
CPT	90716	Varicella virus vaccine, live, subcutaneous use (also included in 90710)	
CPT	90721	Diphtheria, tetanus toxoids, acellular pertusis vaccine and Hemophilus influenza B vaccine (DtaP-Hib) for intramuscular use)	
CPT	90723	Diphtheria, tetanus toxoids, acellular pertusis vaccine, Hepatitis B, and poliovirus, inactivated (DtaP-HepB-IPV), for intramuscular use	
CPT	90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 does schedule), for intramuscular use	
CPT	90744	Hepatitis B vaccine, pediatric/adolescent dosage (3 dose schedule), for intramuscular use	
CPT	90747	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (4 dose schedule), for intramuscular use	
CPT	90748	Hepatitis B and hemophilus influenza b vaccine (HepB-Hib), for intramuscular use	
ICD-9-CM	V02.61	Hepatitis B carrier	
ICD-9-CM	070.2	Viral hepatitis B with hepatic coma	

Codes	Code Number	Code Description	Covered By HFS
ICD-9-CM	070.3	Viral hepatitis B without mention of hepatic coma	
ICD-9-CM	052	Chickenpox	
ICD-9-CM	056	Rubella	
ICD-9-CM	072	Mumps	
ICD-9-CM	99.39	Administration of diphtheria-tetanus-pertussis, combined	
ICD-9-CM	99.41	Chlamydia trachomatis	
ICD-9-CM	99.45	Vaccination against measles	
ICD-9-CM	99.46	Vaccination against mumps	
ICD-9-CM	99.47	Vaccination against rubella	
ICD-9-CM	99.48	Administration of measles-mumps-rubella vaccine	