



Provider Profile Summary Table
October, 2014



Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
Immunization Combo 2: Percentage of 2 year olds with immunizations. Combo 2 = 4 DTaP, 3 IPV, 1 MMR, 3 Hib, 2 HepB, 1 VZV (NOTE: Includes only 2 HepB because 1 st vaccine is often given in hospital and billed to Mother's RIN)	76.89%	81.74%	See Table of Immunization Codes (below)	http://www.cdc.gov/vaccines/schedules/hcp/child-adolescent.html http://www.cdc.gov/vaccines/ http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Immunization Combo 3: Percentage of 2 year olds with immunizations. Combo 3 = 4 DTaP, 3 IPV, 1 MMR, 3 Hib, 2 HepB, 1 VZV, 4 PCV-pneumococcal conjugate vaccinations (NOTE: Includes only 2 HepB because 1 st vaccine is often given in hospital and billed to Mother's RIN)	72.88%	78.30%	See Table of Immunization Codes (below)	http://www.cdc.gov/vaccines/schedules/hcp/child-adolescent.html http://www.cdc.gov/vaccines/ http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Lead Toxicity: Percentage of children who received at least one capillary or venous blood test on or before their second birthday.	72.26%	82.24%	36415 U1 (venous draw), 83655 lead analysis, 36416 U1 (capillary draw), 83655 QW CLIA waived office analysis	http://www.idph.state.il.us/public/hb/hblead.htm HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
<p>Lead Toxicity: Percentage of children who received at least two capillary or venous blood tests on or before their second birthday, one of which occurs on or before the first birthday and one of which occurs after the first and on or before the second birthday.</p>	N/A	N/A	36415 U1 (venous draw), 83655 lead analysis, 36416 U1 (capillary draw), 83655 QW CLIA waived office analysis	<p>http://www.idph.state.il.us/public/hb/hblead.htm</p> <p>HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200</p>
<p>Developmental Screening: Percentage of children with one developmental screening by the age of 12 months.</p>		<p>Non-HEDIS Indicator</p> <p>HFS benchmark 90%</p>	96110, 96111	<p>Developmental Screening Tools http://www.medicalhomeinfo.org/downloads/pdfs/screening_toolgrid.pdf http://pediatrics.aappublications.org/cgi/content/full/118/1/405</p> <p>http://www.edopc.net</p> <p>http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200</p>
<p>Developmental Screening: Percentage of children with one developmental screening between the ages of 12 and 24 months.</p>		<p>Non-HEDIS indicator</p> <p>HFS benchmark 80%</p>	96110, 96111	<p>Developmental Screening Tools http://www.medicalhomeinfo.org/downloads/pdfs/screening_toolgrid.pdf http://pediatrics.aappublications.org/cgi/content/full/118/1/405</p> <p>http://www.edopc.net</p> <p>http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200</p>

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
Developmental Screening: Percentage of children with one developmental screening between the ages of 24 and 36 months.		Non-HEDIS indicator HFS benchmark 75%	96110, 96111	Developmental Screening Tools http://www.medicalhomeinfo.org/downloads/pdfs/screening_toolgrid.pdf http://pediatrics.aappublications.org/cgi/content/full/118/1/405 http://www.edopc.net http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Asthma Management: Percentage of members 5 – 11 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	90.31%	92.92%	See Table ASM-D: Asthma Controller Medications (below)	http://www.nhlbi.nih.gov/health-pro/guidelines/current/asthma-guidelines/index.htm For a comprehensive list of NDC codes for appropriate Asthma medication. http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx
Asthma Management: Percentage of members 12-18 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	85.88%	88.99%	See Table ASM-D: Asthma Controller Medications (below)	http://www.nhlbi.nih.gov/health-pro/guidelines/current/asthma-guidelines/index.htm For a comprehensive list of NDC codes for appropriate Asthma medication. http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx
Asthma Management: Percentage of members 19-50 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	74.90%	80.69%	See Table ASM-D: Asthma Controller Medications (below)	http://www.nhlbi.nih.gov/health-pro/guidelines/current/asthma-guidelines/index.htm For a comprehensive list of NDC codes for appropriate Asthma medication. http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
Asthma Management: Percentage of members 51-64 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	72.66%	77.95	See Table ASM-D: Asthma Controller Medications (below)	http://www.nlm.nih.gov/health-pro/guidelines/current/asthma-guidelines/index.htm For a comprehensive list of NDC codes for appropriate Asthma medication. http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx
Asthma Management: (Total) Percentage of members 5-64 years of age with persistent asthma who were appropriately prescribed medication (HEDIS definition of persistent asthma)	84.64%	87.61	See Table ASM-D: Asthma Controller Medications (below)	http://www.nlm.nih.gov/health-pro/guidelines/current/asthma-guidelines/index.htm For a comprehensive list of NDC codes for appropriate Asthma medication. http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx
Diabetes Management: Percentage of members age 18-75 years of age, diagnosed with Diabetes (type 1 and type 2) who have had one HbA1c in the last 12 months	83.21%	87.32%	83036, 83037 Note: ICD-9-CM codes to identify diabetes: 250, 357.2, 362.0, 366.41, 648.0	http://professional.diabetes.org/ResourcesForProfessionals.aspx?cid=84160
Well Child Care: Percentage of children with 0 well baby visits in the first 15 months of life (An “H” indicator on this measure indicates a <i>low</i> number of children with zero well-child visits and therefore high performance. An “L” indicator indicates a <i>high</i> number of children with zero well-child visits and therefore low performance.)	1.22%	2.13%	99381, 99382, 99391, 99392, 99461 OR ICD-9-CM: V20.2, V20.3, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, 0439	http://brightfutures.aap.org/clinical_practice.html http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
Well Child Care: Percentage of children with 6 well baby visits in the first 15 months of life	65.16%	70.90%	99381, 99382, 99391, 99392, 99461 OR ICD-9-CM: V20.2,V20.3, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, 0439	http://brightfutures.aap.org/clinical_practice.html http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Well Child Care: Percentage of members who were three, four, five or six years of age who received one or more well-child visits with a primary care practitioner during the measurement year.	72.26%	78.51%	99382, 99383, 99392, 99393 OR ICD-9-CM: V20.2 or V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, G0439	http://brightfutures.aap.org/clinical_practice.html http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf http://pediatrics.aappublications.org/content/120/6/1376.full.html (Website is accessible but does not give full text pdf) HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Vision Screening: Percentage of 3 year olds with 1 vision screening during the measurement year	N/A	N/A	99172, 99173, 92002, 92004, 92012, 92014, 92015	http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf http://www.ilga.gov/legislation/publicacts/fulltext.asp?Name=095-0671&print=true&write=pa HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
Vision Screening: Percentage of 4 year olds with 1 vision screening during the measurement year	Not applicable	Not applicable	99172, 99173, 92002, 92004, 92012, 92014, 92015	http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity%20Schedule_FINAL.pdf http://www.ilga.gov/legislation/publicacts/fulltext.asp?Name=095-0671&print=true&write=pa HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
<p>Cervical Cancer Screening: Percentage of women age 24 – 64 years of age who had cervical cytology performed in the past 3 years and includes women age 30 – 64 who had cytology/HPV co-testing in the past 5 years. NOTE: This revised 2014 HEDIS measure assesses the percentage of women who were screened for cervical cancer using either one of the above criteria.</p>	66.38%	71.91%	88141, 88142, 88143, 88147, 88148, 88150, 88152-88155, 88164-88167, 88174, 88175 OR ICD-9-CM: 91.46 OR HCPCS- G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148 P3000, P3001, Q0091 OR UB Revenue: 0923	http://www.uspreventiveservicestaskforce.org/uspstf/uspisce rv.htm
<p>Adolescent Well Care: Percentage of enrolled members who were 12 – 21 years of age and who had at least one comprehensive well-care visit during the measurement year. NOTE: This measure has been changed to a one-year interval from two years to be consistent with HEDIS 2012. Prior to 2012, HFS measures reflect a two-year interval.</p>	48.18%	57.40%	99383-99385, 99393-99395 OR ICD-9-CM: V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR HCPCS: G0438, G0439	http://brightfutures.aap.org/clinical_practice.html HFS Healthy Kids Handbook: http://www.hfs.illinois.gov/handbooks/chapter200.html#hk200
<p>Breast Cancer Screening: The percentage of women 50 – 74 years of age who had at least one mammogram to screen for cancer in the past two years. NOTE: The new 2014 HEDIS revised age criterion. Previous age range was 40 to 69 years of age.</p>	51.53%	57.85%	77055, 77056, 77057 OR ICD-9-CM: 87.36, 87.37, OR HCPCS: G0202, G0204, G0206 OR UB-Revenue: 0401, 0403	http://www.qualitymeasures.ahrq.gov/content.aspx?id=47140#top http://www.guideline.gov/content.aspx?id=34275

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
<p>Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Ages 20 to 44 years.</p>	82.33%	85.27%	99201-99205, 99211-99215, 99241-99245, 99304-99310, 99315, 99316, 99218, 99324-99328, 99334-99337, 92002, 92004, 92012, 92014, 99341-99345, 99347-99350, 99385-99387, 99395-99397, 99401-99404, 99411, 99412, 99420, 99429 OR HCPCS- G0402, G0438, G0439, S0620, S0621 OR ICD-9-CM: V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR UB-Revenue: 051x, 0520-0523, 0524, 0525, 0526-0529, 0982, 0983	<p>http://www.icsi.org/guidelines_and_more/gl_os_prot/preventive_health_maintenance/preventive_services_for_adults/preventive_services_for_adults_11.html</p> <p>http://www.uspreventiveservicestaskforce.org/adultrec.htm</p>
<p>Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Ages 45 to 64 years.</p>	87.51%	90.41%	99201-99205, 99211-99215, 99241-99245, 99304-99310, 99315, 99316, 99218, 99324-99328, 99334-99337, 92002, 92004, 92012, 92014, 99341-99345, 99347-99350, 99385-99387, 99395-99397, 99401-99404, 99411, 99412, 99420, 99429 OR HCPCS- G0402, G0438, G0439, S0620, S0621 OR ICD-9-CM: V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR UB-Revenue: 051x, 0520-0523, 0524, 0525, 0526-0529, 0982, 0983	<p>http://www.icsi.org/guidelines_and_more/gl_os_prot/preventive_health_maintenance/preventive_services_for_adults/preventive_services_for_adults_11.html</p> <p>http://www.uspreventiveservicestaskforce.org/adultrec.htm</p>

Quality Indicator	2014 NCQA 50 th Percentile Benchmark	2014 NCQA 75 th Percentile Benchmark	Codes	References
<p>Adults' Access to Preventive/Ambulatory Health Services: The percentage of members 20 years and older who had an ambulatory or preventive visit during the measurement year. Over age 65 years.</p>	87.74%	90.85%	99201-99205, 99211-99215, 99241-99245, 99304-99310, 99315, 99316, 99218, 99324-99328, 99334-99337, 92002, 92004, 92012, 92014, 99341-99345, 99347-99350, 99385-99387, 99395-99397, 99401-99404, 99411, 99412, 99420, 99429 OR HCPCS- G0402, G0438, G0439, S0620, S0621 OR ICD-9-CM: V70.0, V70.3, V70.5, V70.6, V70.8, V70.9 OR UB-Revenue: 051x, 0520-0523, 0524, 0525, 0526-0529, 0982, 0983	<p>http://www.icsi.org/guidelines_and_more/gl_os_prot/preventive_health_maintenance/preventive_services_for_adults/preventive_services_for_adults_11.html</p> <p>http://www.uspreventiveservicestaskforce.org/adultrec.htm</p>
<p>Ambulatory Care ED Use: Utilization of services provided in the ED department. Shown as ED visits that do not result in an inpatient stay per 1000 member months. Ages 0 to 19 years.</p>	N/A	N/A	99281-99285 OR 10040-69979 WITH POS 23 OR UB Revenue: 045x, 0981	<p>http://www.annemergmed.com/article/S0196-0644(12)00125-4/abstract</p> <p>NOTE: An “H” indicator on this measure indicates a <i>low</i> number of ED visits and therefore high performance.</p> <p>An “L” indicator indicates a <i>high</i> number of ED visits and therefore low performance.</p>
<p>Ambulatory Care ED Use: Utilization of services provided in the ED department. Shown as ED visits that do not result in an inpatient stay per 1000 member months. Age 20 and older.</p>	102.30	124.43	99281-99285 OR 10040-69979 WITH POS 23 OR UB Revenue: 045x, 0981	<p>http://www.annemergmed.com/article/S0196-0644(12)00125-4/abstract</p> <p>NOTE: An “H” indicator on this measure indicates a <i>low</i> number of ED visits and therefore high performance.</p> <p>An “L” indicator indicates a <i>high</i> number of ED visits and therefore low performance.</p>

Table of Immunization Codes (with descriptions to identify childhood immunizations) *

Codes	Code Number	Code Description
CPT	90645-90648	Hemophilus influenza b vaccine (Hib), for intramuscular use (Hib also included in 90698, 90721, and 90748)
CPT	90669	Pneumococcal conjugate vaccine, 7 valent, for intramuscular use
CPT	90670	Prevnar 13 – pneumococcal conjugate (Prevnar added to measure January 2011)
CPT	90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, hemophilus influenza Type B, and poliovirus vaccine, inactivated (DTaP-Hib-IPV), for intramuscular use
CPT	90700	Diphtheria, tetanus toxoids, acellular pertussis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use
CPT	90704	Mumps virus vaccine, live, for subcutaneous use (also included in 90707 and 90710)
CPT	90705	Measles virus vaccine, live, for subcutaneous use (also included in 90707, 90708 and 90710)
CPT	90706	Rubella virus vaccine, live, for subcutaneous use (also included in 90707, 90708, and 90710)
CPT	90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use (also included in 90710)
CPT	90708	Measles and rubella virus vaccine, live, for subcutaneous use
CPT	90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use
CPT	90713	Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use (also included in 90698 and 90723)
CPT	90716	Varicella virus vaccine, live, subcutaneous use (also included in 90710)
CPT	90721	Diphtheria, tetanus toxoids, acellular pertussis vaccine and Hemophilus influenza B vaccine (DTaP-Hib) for intramuscular use)
CPT	90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and poliovirus, inactivated (DTaP-HepB-IPV), for intramuscular use
CPT	90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 does schedule), for intramuscular use
CPT	90744	Hepatitis B vaccine, pediatric/adolescent dosage (3 dose schedule), for intramuscular use
CPT	90747	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (4 dose schedule), for intramuscular use
CPT	90748	Hepatitis B and Hemophilus influenza b vaccine (HepB-Hib), for intramuscular use
HCPCS	G0009	Administration of Pneumococcal vaccine

Codes	Code Number	Code Description
HCPCS	G0010	Administration of Hepatitis B vaccine
ICD-9-Dx	V02.61	Hepatitis B carrier
ICD-9-Dx	070.2	Viral hepatitis B with hepatic coma
ICD-9-Dx	070.3	Viral hepatitis B without mention of hepatic coma
ICD-9-Dx	052x & 053x	Chickenpox (VZV)
ICD-9-Dx	055x	Measles
ICD-9-Dx	056x	Rubella
ICD-9-Dx	072x	Mumps
ICD-9-Proc	99.39	Administration of diphtheria-tetanus-pertussis, combined
ICD-9-Proc	99.41	Administration of poliomyelitis vaccine
ICD-9-Proc	99.45	Vaccination against measles
ICD-9-Proc	99.46	Vaccination against mumps
ICD-9-Proc	99.47	Vaccination against rubella
ICD-9-Proc	99.48	Administration of measles-mumps-rubella vaccine

* **Note:** This **Table of Immunization Codes** (provided above for convenience) has select codes and descriptions as found in the *HEDIS 2013: Technical Specifications Manual; Current Procedural Terminology: CPT 2012-Standard Edition;* and *2010 ICD-9-CM: Volumes 1, 2, & 3 for Hospitals*. Please consult the reference publications for all detailed codes and procedures, as needed.

Table ASM-D: Asthma Controller Medications**

Description	Prescriptions		
Antiasthmatic combinations	• Dyphylline-guaifenesin	• Guaifenesin-theophylline	
Antibody inhibitor	• Omalizumab		
Inhaled steroid combinations	• Budesonide-formoterol	• Fluticasone-salmeterol	• Mometasone-formoterol
Inhaled corticosteroids	• Beclomethasone • Budesonide • Ciclesonide	• Flunisolide • Fluticasone CFC free	• Mometasone • Triamcinolone
Leukotriene modifiers	• Montelukast	• Zafirlukast	• Zileuton
Mast cell stabilizers	• Cromolyn		
Methylxanthines	• Aminophylline	• Dyphylline	• Theophylline

**Reference: <http://www.ncqa.org/HEDISQualityMeasurement/HEDISMeasures/HEDIS2014/HEDIS2014FinalNDCLists.aspx>
(No change listed for Table ASM-D or Table CIS-A per HEDIS 2014 NDC List Technical Update)